

INSERT NORD

ARTIS 5000U B2 LED UV-PRINTER




artis 5000U, B2 LED UV HIGH PRODUCTION PLATFORM

EXPAND YOUR BUSINESS, PRINT BIG
AND UP TO 25 CM (9.84 in) HEIGHT

-  CMYK+WWWW / CMYK+WW+V V Ink System
-  Up to 720*2880 DPI
-  B2, 50*70 cm (19.68*27.56 in)
-  3D Embossed printing
-  Custom Rotary printing
-  ADA Braille printing
-  Advanced Varnish printing
-  Variable Data Print

Applications



Upscaled Features

Print bigger, up to 25 cm height & 2X faster

Spot Varnish printing availability for glossy diamond effect and matte print finish

Braille Printing Program for ADA Compliant signs

Fast conversion from **flat printing** to **cylindrical printing** with ROT 360 degrees rotary technology

Variable Data Printing support

Direct printing on dark and transparent materials

Optimal for printing on both **rigid and flexible substrates**

Ideal for printing signage, packaging, decoration (wood print, ceramics, glass, plastics, aluminum...), bottle & cylindrical printing, posters, promotional items, custom travel items & luggage, candle printing to more.

ACS Automatic Comand System on demand

Automatic multiple copies print from **Printing Task Queue**

One button **Full Automatic Height** measurement

Optimal cost saving with the **Cartridges Continuous Ink Supply System**

Automatic error checking on boot with error reporting

Unique lateral loading architecture & simplified operation and maintenance

Built in liquid cooling control system

Y axis servo motor for increased printing quality

Printer customization service on demand



25 CM HEIGHT UPGRADE & VERSATILE ON DEMAND CUSTOMIZATION



Technical Specification

Printing specification

Print speed	5 minutes for Full 50 * 70CM @ 720*720 DPI for 4 pass bidirection print mode
Printing technology	UV LED (Built in water cooling)
Ink	artisInk DTSAT3 cartridges (CMYK+WWWW / CMYK+WW+V V)
Media	Applications Signage, packaging, indoor decorations, luggage, promotional items, bottle & cylindrical printing etc.
	Media Size 530 x 820 mm (20.86 x 32.28 in)
	Height Full Automatic and up to 25 cm (9.84 in)
	Rotary Print On Demand artisJet ROT 360 degrees device
Printing	Printing Size 500 x 700 mm (19.68 x 27.56 in)
	Printing modes 4 pass 8 pass 16 pass
	Print Resolution Up to 720 x 2880 dpi
	Print Head Epson DX7 piezo electric printhead. Made in Japan

Printer specification

Connectivity	Nozzles Variable dot size printing technology, starting from 3 pl and up to 10 pl
	Ports USB 2.0
	Operating systems Windows
Dimensions	Depth x Width x Height Printer 1060 x 980 x 730 mm (41.73 x 38.58 x 28.74 in) Shipping 1160 x 1180 x 980 mm (45.66 x 46.45 x 38.58 in)
Weight	Printer 190 Kg, Shipping 225 Kg
Content of the box	artis 5000 U, USB cable, Power cable, User manual book, spare parts package, Driver CD, Ink Chips, Ink tunnels, SCM Cable, Power fuse, RIP Software, Extra back-up Damper
Environmental ranges	10 - 35 °
Power consumption and requirements	AC100V~240V±10% 0.5kVA
Certification	CE / FCC / RoHS / REACH / HC certified
Warranty	Two years warranty

artisRIP 9.0 & artisJet Work Station

Specifically designed for artisJet's UV direct to print systems, artisRIP and artisJet Work Station offer a simple and user friendly intuitive interface.

ArtisRip main features are:

Layout platform

Layout editing platform, resize, mirror, text, color adjustment, color gamut check.
Raster and vector images support
Built in customizable print templates for pens, phone covers, lighters, cosmetics, etc...
Previewing and smart nesting

Print Engine

Print both White and CMYK printing
Support multiple tasks on queue for quantity prints
Support API on demands
Supporting to print directly from third party software like Microsoft Office Suite, PhotoShop, Corel Draw, Adobe PDF, Adobe Illustrator etc.
Support for jpg, tif, bmp, png, PS, Ai and pdf image files
Vivid color reproduction and simultaneous printing to multiple print devices
Color management engine base with ICC profiles support
Individual ink channel adjustment
Automatic white ink trapping
Feathering rendering mode (eliminates banding, enhances color transitions)

Ordering Information

Printer	artis 5000U B2 LED UV
Goods No.	AJ-5000U
Ink Cartridges	DTS Direct to Substrate artisInk
DTSAT3 - 200-001	Cyan UV LED Ink DTSAT3, 200ml
DTSAT3 - 200-002	Magenta UV LED Ink DTSAT3, 200ml
DTSAT3 - 200-003	Yellow UV LED Ink DTSAT3, 200ml
DTSAT3 - 200-004	Black UV LED Ink DTSAT3, 200ml
DTSAT3 - 200-005	White UV LED Ink DTSAT3, 200ml
DTSAT3 - 200-006	Varnish UV LED Ink DTSAT3, 200ml
Cleaning agent	
AJCA-U-200-001	Cleaning agent for LED UV inks, 200 ml
Fixing agent	
AJCP-U-200-001	Fixing agent A/B liquids for UV LED inks, 200ml

ECO

Go green with artisJet's DTSAT3 UV inks. Print toxin free and virtually odorless. DTSAT3 UV inks are environmentally friendly. UV inks are cured and fixed to the substrate when being activated with UV light. The curing process hardens the ink, without any evaporation. Ideal for general industrial use, restaurants, hotels, hospitals and indoor signage application.

Core technology highlight

Flash On Ink Firing System

Intelligently powered by ArtisPrinters FOIF system, the artis 5000U printer electronically activates the UV LEDs when firing ink only. As a result the life time of the printhead and the UV LEDs is maximized. FOIF also protects the entire ink system.

Cartridges Continuous Ink Supply System

This system allows for 100% utilization of available ink. Refillable ink systems for economical printing.

Control On Demand System

Designed for an enhanced flexibility and simplicity, artisJet COD digitally controls the operation of the LED UV system. It automatically adapts to different materials and working environments. COD controls the UV Curing mode (Bi-directional, Uni-directional). This will result in delivering an optimal printing quality and drying time.

Safe Water Cooling Control System

Designed for operational extra safety and simplicity, artisJet's SWCC system is built on a digital industrial chilling system. It recycles 300ml of an industrial cooling liquid. The liquid level is visible and refillable on demand to avoid the wearout of the UV LEDs.

Self-automated printing height adjustment

Equipped with sensors to automatically adjust head height and reduce the print head strikes.

Gradient ECO UV LED Technology

Equipped with artisJet new UVCC2 UV LED clutter suppression Processor technology. The UV LED light wave varies from 365-395 and deliver the best print color durability by drying the prints in different layers.

Auto Cleaning Module

Extends the printer head life by running scheduled ink system cleaning and maintenance when the printer is idle for a period of time.

New Wave Pass Control Technology

Empowered by the wave print technology, the gradient feathering print functionality of artis 5000 U ensures the sharpness of the print output.

